

Indoor Dangerous Goods
Storage Cabinets
Corrosive Substances

MATERIALS
Handling *Working with ease...*
PTY LTD




Class 8 Corrosive Substance Storage Cabinets



Self-Closing Doors

Self-closing, close fitting doors held shut by catches at 2 points.




Dual Walled

Double walled sheet steel construction with a 40mm thermic air barrier.



Perforated Adjustable Shelving

Strong fully adjustable shelving perforated for air movement, 100mm adjustment increments.



Vent Openings

Built in flash arrestors and vent openings [for mechanical ventilation systems.]



Complies with AS 3780:2008

Designed and manufactured in full conformance to AS 3780:2008 - The storage and handling of corrosive substances.



High Capacity Sump

High capacity liquid tight sump to contain spills - 150mm deep.



Additional Features

- Stainless steel pin with continuous hinging for strength and reliability.
- Distinct Safety signs and directions that comply with AS 1216 and AS 1319.
- Sequential door closing system.
- PVC spill trays.
- Manufactured in Australia.
- State of the art powder coat finish for high durability and performance.
- Doors will not open inwards and can be opened from within the cabinet.

SC0308



30L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	800	500	450
Internal	553	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	33.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
30L	8	1	0

SC0608



60L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	1065	500	450
Internal	818	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	41.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
60L	12*	2	0

*with 3 storage levels


SC1008



100L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	800	920	615
Internal	553	838	535
Storage Levels	2		
Sump Capacity	67L		
Weight	65.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
100L	16	4	0

SC1608



160L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	1220	1100	450
Internal	973	1018	370
Storage Levels	2		
Sump Capacity	56L		
Weight	78.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
160L	30*	6	0

*with 3 storage levels

Product Code

Specifications

SC2508



250L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	1750	1100	500
Internal	1503	1018	420
Storage Levels	3		
Sump Capacity	64L		
Weight	123.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
250L	50*	9	0

*with 5 storage levels

SC3008



250L - Corrosive Substance Storage Cabinet

Dimensions			
	H	W	D
External	1880	806	804
Internal	1608	700	718
Storage Levels	3		
Sump Capacity	79L		
Weight	143.0 kg		
Complies With	AS 3780:2008		
Max	4L	20L	205L
250L	45*	12	1

*with 5 storage levels

Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

MATERIALS
Handling PTY LTD *Working with ease*