




Indoor Dangerous Goods
Storage Cabinets

Pesticides

MATERIALS
Handling *Working with ease...*
PTY LTD

Pesticides Storage Cabinets



Self-Closing Doors
Self-closing, close fitting doors held shut by catches at 2 points.

Perforated Adjustable Shelving
Strong fully adjustable shelving perforated for air movement, 100mm adjustment increments.

Complies with AS/NZS 4452:1997
Designed and manufactured in full conformance to AS/NZS 4452:1997 - The storage and handling of toxic substances.

Dual Walled
Double walled sheet steel construction with a 40mm thermic air barrier.


Vent Openings
Built in flash arrestors and vent openings [for mechanical ventilation systems.]

High Capacity Sump
High capacity liquid tight sump to contain spills - 150mm deep.

Additional Features

- Stainless steel pin with continuous hinging for strength and reliability.
- Distinct Safety signs and directions that comply with AS 1216 and AS 1319.
- State of the art powder coat finish for high durability and performance.
- Manufactured in Australia.
- Sequential door closing system.


SC030PE



30L - Pesticides Storage Cabinet

| Dimensions | | | |
|----------------|------------------|-----|------|
| | H | W | D |
| External | 800 | 500 | 450 |
| Internal | 553 | 418 | 370 |
| Storage Levels | 2 | | |
| Sump Capacity | 23L | | |
| Weight | 33.0 kg | | |
| Complies With | AS/NZS 4452:1997 | | |
| Max | 4L | 20L | 205L |
| 30L | 8 | 1 | 0 |

SC160PE



160L - Pesticides Storage Cabinet

| Dimensions | | | |
|----------------|------------------|------|------|
| | H | W | D |
| External | 1220 | 1100 | 450 |
| Internal | 973 | 1018 | 370 |
| Storage Levels | 2 | | |
| Sump Capacity | 56L | | |
| Weight | 78.0 kg | | |
| Complies With | AS/NZS 4452:1997 | | |
| Max | 4L | 20L | 205L |
| 160L | 30* | 6 | 0 |

*with 3 storage levels