



Outdoor Dangerous
Goods Stores - IBCs
Corrosive Substances




Outdoor Corrosive Substance IBC Stores




270° Door Hinging

Doors which fold back 270° for ease of access and forklift loading and unloading of IBC's.




Lifting Lugs

Lifting lugs, forklift channels and locating plates.



Corrosive Resistant Sump Coating

Spill containment sump is coated with a heavy duty corrosive resistant polyethylene.



Ventilation


Ventilation to suit AS 3780:2008.



AS3780

Complies with AS 3780:2008

Designed and manufactured in full conformance to AS 3780:2008 - The storage and handling of corrosive substances.



ISO Locking Bars

ISO locking bars for high security.



Additional Features

- Cyclone proof construction with a 2 pack polyurethane coating.
- Engineered footing details available.
- Cambered roof for rainwater run-off.
- Earth stake and mounting.
- Liquid tight spill containment sump with compliant capacity.
- Appropriate warning and safety signage that complies with AS 1216 and AS 1319.
- Easy access: each IBC is accessible via forklift.
- Suitable for storage of IBC's and pallets.
- Manufactured in Australia.

DPR01BB8



1 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	2205	1540	1440
Internal	1300	1250	1225
Storage Levels			1
Sump Capacity			1000L
Weight			406.0 kg
Complies With			AS 3780:2008
Max	IBC's		
1000L	1		

DPR02BB8



2 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	1950	2790	1440
Internal	1300	2500	1225
Storage Levels			1
Sump Capacity			1000L
Weight			569.0 kg
Complies With			AS 3780:2008
Max	IBC's		
2000L	2		

DPR04BB8



4 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3445	2790	1440
Internal	1275 (upper)	2500	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			1000L
Weight			835.0 kg
Complies With			AS 3780:2008
Max	IBC's		
4000L	4		

DPR06BB8



6 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3350	4115	1440
Internal	1275 (upper)	2500 (double bay)	1225
	1275 (lower)	1250 (single bay)	
Storage Levels			2
Sump Capacity			1500L
Weight			1141.0 kg
Complies With			AS 3780:2008
Max	IBC's		
6000L	6		

Product Code

Specifications

DPR08BB8



8 IBC - Single Depth Corrosive Substance Store



Dimensions			
	H	W	D
External	3310	5365	1440
Internal	1275 (upper)	2 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			2000L
Weight			1422.0 kg
Complies With			AS 3780:2008
Max	IBC's		
8000L	8		

DPR08DBB8



8 IBC - Double Depth Corrosive Substance Store



Dimensions			
	H	W	D
External	3320	2790	2520
Internal	1275 (upper)	2500 (double bay)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			2000L
Weight			1276.0 kg
Complies With			AS 3780:2008
Max	IBC's		
8000L	8		

Product Code

Specifications

DPR10BB8



10 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3280	6740	1440
Internal	1275 (upper)	2 x 2500 (double bays)	1225
	1275 (lower)	1 x 1200 (single bay)	
Storage Levels			2
Sump Capacity			2500L
Weight			1767.0 kg
Complies With			AS 3780:2008
Max	IBC's		
10000L	10		

DPR12BB8



12 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3280	7990	1440
Internal	1275 (upper)	3 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			3000L
Weight			2027.0 kg
Complies With			AS 3780:2008
Max	IBC's		
12000L	12		

DPR12DBB8



12 IBC - Double Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3305	4115	2520
Internal	1275 (upper)	2500 (double bays)	2420
	1275 (lower)	1250 (single bay)	
Storage Levels			2
Sump Capacity			3000L
Weight			2350.0 kg
Complies With			AS 3780:2008
Max	IBC's		
12000L	12		

DPR16BB8



16 IBC - Single Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3280	10615	1440
Internal	1275 (upper)	4 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			4000L
Weight			2715.0 kg
Complies With			AS 3780:2008
Max	IBC's		
16000L	16		

Product Code

Specifications

DPR16DBB8



16 IBC - Double Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3295	5365	2520
Internal	1275 (upper)	2 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			4000L
Weight			4250.0 kg
Complies With			AS 3780:2008
Max	IBC's		
16000L	16		

DPR20DBB8



20 IBC - Double Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3335	6740	2520
Internal	1275 (upper)	2 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			5000L
Weight			2747.0 kg
Complies With			AS 3780:2008
Max	IBC's		
20000L	20		

Product Code

Specifications

DPR24DBB8



24 IBC - Double Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3295	7990	2520
Internal	1275 (upper)	3 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			6000L
Weight			3202.0 kg
Complies With			AS 3780:2008
Max	IBC's		
24000L	24		

DPR32DBB8



32 IBC - Double Depth Corrosive Substance Store

Dimensions			
	H	W	D
External	3295	10615	2520
Internal	1275 (upper)	4 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			8000L
Weight			4271.0 kg
Complies With			AS 3780:2008
Max	IBC's		
32000L	32		