

TUBS, TROLLEYS AND ACCESSORIES



Our Tub Trolleys have been designed to suit a broad market spectrum.

They are useful when carrying goods or transferring products, and offer a number of safety features. As long as the trolley is appropriate for the operation and the items being loaded, they considerably reduce the risk of injury for personnel. Our selection of tub trolleys allows you to find the ideal one for reducing manual handling for your specific need.

They are made from FDA approved food grade material and are characterised by strength and functionality.

Range of applications:

- ✓ Linen
- ✓ Food storage bins
- ✓ Order pickers
- ✓ Factory waste bins
- ✓ Meat waste/offal bins

Meeting materials handling requirements of:

- ✓ Laundries
- ✓ Hospitals
- ✓ Aged Care Centres
- ✓ Motels
- ✓ Food Companies
- ✓ Abattoirs
- ✓ Warehouses

150L TAPERED RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
STRT150	Tapered Rectangular Tub 150L	Length 810(rim)/670(base) Width 570(rim)/430(base), Height 500* *Dolly adds 150 mm height with standard 125 mm castors

Additional Options Available

CODE	DESCRIPTION
DTRT150	Dolly to suit STRT150
SLTRT150	Lid
RBT150P	Coil Spring Rising Base with Poly top*
HSRBTRT150	Hanging Spring Rising Base
THN	Tub Handle

* Galvanised tops also available



350L TAPERED RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
STRT350	Tapered Rectangular Tub 350L	Length 1020(rim)/880(base), Width 720(rim)/580(base), Height 625* *Dolly adds 150 mm height with standard 125 mm castors

Additional Options Available

CODE	DESCRIPTION
DTRT350	Dolly to suit STRT350
SLTRT350	Lid
RBT350P	Coil Spring Rising Base with Poly top*
HSRBTRT350	Hanging Spring Rising Base
THW	Tub Handle

*Galvanised tops also available



Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

450L TAPERED RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
STRT450	Tapered Rectangular Tub 450L	Length 1320(rim)/1180(base), Width 720(rim)/580(base), Height 625* *Dolly adds 150 mm height with standard 125 mm castors

Additional Options Available

CODE	DESCRIPTION
DTRT450	Dolly to suit STRT450
SLTRT450	Lid
RBT450P	Coil Spring Rising Base with Poly top*
HSRBTRT450	Hanging Spring Rising Base
THW	Tub Handle

*Galvanised tops also available



250L STRAIGHT RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
SRT250	Straight sided Rectangular Tub 250L	Length 1150(rim)/1050(base), Width 635(rim)/535(base), Height 525* *Dolly adds 150 mm height with standard 125 mm castors

Additional Options Available

CODE	DESCRIPTION
DSRT250	Dolly to suit SRT250
SLSRT250	Lid
RBS250P	Coil Spring Rising Base with Poly top*
HSRBSRT250	Hanging Spring Rising Base
THN	Tub Handle

*Galvanised tops also available



Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

MATERIALS
Handling PTY LTD *Working with ease*

340L STRAIGHT RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
SRT340	Straight sided Rectangular Tub 340L	Length 990(rim)/880(base), Width 690(rim)/580(base), Height 670* *Dolly adds 150 mm height with standard 125 mm castors
Additional Options Available		

CODE	DESCRIPTION
DSRT340	Dolly to suit SRT340
SLSRT340	Lid
RBS340P	Coil Spring Rising Base with Poly top*
HSRBSRT340	Hanging Spring Rising Base
THW	Tub Handle

*Galvanised tops also available



450L STRAIGHT RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
SRT450	Straight sided Rectangular Tub 450L	Length 1240(rim)/1130(base), Width 740(rim)/630(base), Height 670* *Dolly adds 150 mm height with standard 125mm castors
Additional Options Available		

CODE	DESCRIPTION
DSRT450	Dolly to suit SRT450
RBS450P	Coil Spring Rising Base with Poly top*
HSRBSRT450	Hanging Spring Rising Base
THW	Tub Handle

*Galvanised tops also available



Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

MATERIALS
Handling PTY LTD Working with ease.

650L STRAIGHT RECTANGULAR TUB

STANDARD

CODE	DESCRIPTION	DIMENSIONS (mm)
SRT650	Straight sided Rectangular Tub 650L	Length 1480(rim)/1380(base), Width 880(rim)/780(base), Height 670*
Additional Options Available		*Dolly adds 150 mm height with standard 125 mm castors

CODE	DESCRIPTION
DSRT650	Dolly to suit SRT650
RBT650P	Coil Spring Rising Base with Poly top*
HSRBSRT650	Hanging Spring Rising Base
THW	Tub Handle



OPTIONS

COLOURS



CASTORS - corner or diamond configuration available on all dollies



DRAIN BUNGS ALSO AVAILABLE

Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

MATERIALS
Handling PTY LTD *Working with ease.*